



DOCKET NO. JBP586

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: M. Seiberg et al.

Serial No.: 10/092,810

Art Unit: 1651

Filed : March 7, 2002

Examiner:

For : COMPOSITIONS AND METHODS FOR REGULATING PHAGOCYTOSIS AND
ICAM-1 EXPRESSION

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Box Missing Parts, Commissioner for Patents, Washington, DC 20231 on

July 9, 2002

(Date of Deposit)

Andrea L. Colby

(Name of applicant, assignee, or Registered Representative)

Andrea L. Colby

(Signature)

July 9, 2002

(Date of Signature)

Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sir:

In accordance with 37 C.F.R. §1.52, a Substitute Specification
is enclosed in order to improve the quality of the copy for scanning
purposes. The Substitute Specification contains no new matter.

Additionally in accordance with 37 C.F.R. §1.84, substitute
drawings are being enclosed in order to correct the deficiency in the
margins.

Accordingly, favorable action is respectfully requested.

Respectfully submitted,


Andrea L. Colby

Andrea L. Colby

Reg. No. 30,194

Attorney for Applicant(s)

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(732) 524-2792
DATE: July 9, 2002



UNITED STATES PATENT AND TRADEMARK OFFICE

 COMMISSIONER FOR PATENTS
 UNITED STATES PATENT AND TRADEMARK OFFICE
 WASHINGTON, D.C. 20231
 www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/092,810	03/07/2002	Miri Seiberg	JBP 586

 000027777
 AUDLEY A. CIAMPORCERO JR.
 JOHNSON & JOHNSON
 ONE JOHNSON & JOHNSON PLAZA
 NEW BRUNSWICK, NJ 08933-7003

RECEIVED

APR 15 2002

INLET DATA SECTION

CONFIRMATION NO. 1963

FORMALITIES LETTER



OC00000007834354

Date Mailed: 04/09/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - The specification cannot be scanned or properly stored. Page(s)
 - Papers must be legibly written either by a typewriter or mechanical printer in permanent ink or its equivalent in portrait orientation on flexible, strong, smooth, non-shiny, durable, and white paper. Application papers must be presented in a form having sufficient clarity and contrast between the paper and the writing thereon to permit the direct reproduction of readily legible copies in any number by use of photographic, electrostatic, photo-offset, and microfilming processes and electronic reproduction by use of digital imaging and optical character recognition. Pages 1-61 are not in compliance with 37 CFR 1.52(a). *The drawings filed are unacceptable because:*
Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.
- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper which is flexible, strong, white, smooth, non-shiny, and

Replaced
6/9/02

durable (see 37 CFR 1.84(e));

A copy of this notice MUST be returned with the reply.



Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY